

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1798	hard adj limit\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:06
L22	27	hard adj limit\$1 same automatic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:08
L23	91	hard adj limit\$1 same response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:38
L26	220	((out\$1of\$1order or out\$1of\$1sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data) or out adj2 (order or sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data)) and ((in\$1order or in\$1sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data) or in adj (order or sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:52
L28	9	((out\$1of\$1order or out\$1of\$1sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data) or out adj2 (order or sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data)) with (limit\$3 or threshold\$1) AND ((in\$1order or in\$1sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data) or in adj (order or sequence) adj (message\$1 or packet\$1 or frame\$1 or cell\$1 or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:54

EAST Search History

S4	56	ELZUR-URI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:39
S7	12	("20020055993" "20020141424" "5313582" "6341302" "6426957" "6501757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 08:25
S8	6	("20020055993" "20020141424" "5916307").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:42
S9	2	("5958017").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:44
S10	2	("6611883").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 18:26
S12	1122	remote ADJ direct ADJ memory ADJ access OR RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 09:18
S13	61398	direct ADJ memory ADJ access OR DMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:08

EAST Search History

S14	944	S12 AND S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:09
S18	201	(threshold or limit\$3) WITH (buffer\$3 or resource\$1) and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:43
S19	12680	710/22,23,26,52,54.ccls or 709/235, 213.ccls. or 370/229,412,428,468, 465.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:47
S20	23	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:55
S27	36	statistically adj (determin\$3 or generat\$3 or creat\$3) SAME (dynamic or empirical adj3 (requirement\$3 or constraint\$1 or prerequisite or requisite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:44
S28	26	buffer\$1 same statistically adj (determin\$3 or generat\$3 or creat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:17
S30	52	statistically adj (determin\$3 or generat\$3 or creat\$3) and (static or dynamic) adj3 (data or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:20

EAST Search History

S32	17	statistically adj (determin\$3 or generat\$3 or creat\$3 or provision\$3) and (static or dynamic) adj3 (data or parameter\$1) and buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:30
S35	18	statistically adj2 (provision\$3) and (buffer\$3 or memory or resources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:40
S38	28	statistical\$2 adj provision\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:43
S39	3610	(resource\$1 or buffer\$3) with statistical\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:46
S40	23	(resource\$1 or buffer\$3) with statistical\$2 adj determin\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:07
S41	6	buffer\$3 adj need\$1 same provision\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:05
S44	12680	710/22,23,26,52,54.ccls or 709/235, 213.ccls. or 370/229,412,428,468, 465.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 17:32

EAST Search History

S45	159	(resource\$1 or buffer\$3) with (statistical\$2 and determin\$6) and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:09
S50	18	(remote ADJ direct ADJ memory ADJ access OR RDMA or direct ADJ memory ADJ access or DMA infini\$band or infini adj band) and statistical\$1 with determin\$6 and provision\$3 near3 (resource\$3 or buffer\$3 or memory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:43
S51	13	(remote ADJ direct ADJ memory ADJ access OR RDMA or direct ADJ memory ADJ access or DMA infini\$band or infini adj band) and statistical\$1 with provision\$3 near3 (resource\$3 or buffer\$3 or memory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:47
S55	70	share\$3 with (queue\$1 or buffer\$1) and statistic\$4 and provisio\$3 near4 resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:53
S56	41	share\$3 near6 (queue\$1 or buffer\$1) and statistic\$4 and provisio\$3 near4 resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:54
S57	31	(resource\$1 or buffer\$1) with provision\$3 with statistical\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 16:08
S59	27	dynamic adj (statistic\$1 or data) same provisioning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 16:10

EAST Search History

S60	1535	limit adj value and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 17:33
S61	224	limit adj value\$1 same queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 17:34
S62	144	limit adj value\$1 with queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 18:25
S63	23	share\$3 adj receive adj queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 17:53
S65	141	(network adj interface adj card\$1 or NIC) and (network adj interface adj card andj driver\$1 or NIC adj driver\$1) and queue adj pair\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 18:28
S67	2613	internet adj small adj computer adj system adj interface or iSCSI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 08:21
S68	121	(internet adj small adj computer adj system adj interface or iSCSI) NEAR2 RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 10:32

EAST Search History

S69	2	("20040073622").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 12:35
S72	30	(drop\$4 near3 connection\$1) and (remote ADJ direct ADJ memory ADJ access OR RDMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:25
S73	1132	((drop\$4 or clos\$3) near3 connection\$1) with (limit\$1 or threshold\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:27
S74	17	((drop\$4 or clos\$3) near3 connection\$1) with (limit\$1 or threshold\$1) with (resource\$1 or buffer\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:39
S75	449	limit\$4 with resource\$1 with queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 14:04
S76	202	limit\$4 near3 resource\$1 with queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 14:06
S77	92	limit\$4 near3 (amount or number or quacity) with resource\$1 with queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 14:03

EAST Search History

S80	233	limit adj queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 14:07
S81	93	limit adj queue and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 17:15
S84	22	resources same statistically near4 (calculat\$3 or determin\$3) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 17:39
S86	240	buffer adj manage\$4 with resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 17:32
S87	98	buffer adj manage\$4 with resource\$1 and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 17:33
S89	56	resources near4 statistically and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 18:00
S90	109	buffer\$1 near4 statistically and @py<="2002" not S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 18:00

EAST Search History

S91	10875	(queue\$1 or buffer\$1) near3 manag\$5 and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 08:27
S92	375	(queue\$1 or buffer\$1) near3 manag\$5 with (limit\$4 or prevent\$4 or restricting or restrictive or restrict\$4) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 08:30
S93	375	(queue\$1 or buffer\$1) near3 manag\$5 with (limit\$4 or prevent\$4 or restricting or restrictive or restrict\$4) and @py<="2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 09:17
S94	76	user adj space and kernel and (remote ADJ direct ADJ memory ADJ access OR RDMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 09:19
S95	35	(completion adj queue\$1) near4 shar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 12:45